

S.C.H.O.O.N.

Freshwater Factory combined with Constructed Wetlands

Simone van Holst, Hoogheemraadschap van Delfland (Water Board Delfland)



Dutch Innovation on Micropollutants Removal from Municipal Wastewater November 7th 2019 Aquatech Amsterdam



Ozonation and Sand filtration

- Freshwater factory (ozone and sand filtration
- Constructed wetland





Ozonation and Sand filtration

Gemaal

- Ozone reactors
 - 2 reactors of 300 m³
 - Maximum canacity 2 COO m3/b
 - 30
 - HF
 - Sand
 - Cι
 - Fil
- Const
 - Culvert capacity max. 1,650 m³/h
 - Maximum flow to water system 30,000 m³/day

Swimming lake

Existing CW's



New CW's



Pond with water plants



CW compartments

8



WWTP



Feasibility Study

Emissions new discharge point

- N emission < 3.0 mg/l
- P emission < 0.3 mg/l
- Micropollutants

WWTP De Groote Lucht N=13.4 mg/l and P= 3.7 mg/l

Dosage

- Methanol:
 - 2.5–3.0 g/gN
 - 0.9-1.2 g/gO₂
- PAC or FeCl₃: 2.5-4.5 mol/molP
- Ozone 0.5-1.2 gO₃/gDOC







Full scale installation

- Market consultation
- Publish Tender engineering/construction team
- Engineering/construction team result is a ready to build design
- Construct full scale installation
- Operational test phase
- Measuring and monitoring when operational
 - Meeting discharge limits
 - Water quality of receiving water body
 - Optimization process

- Participants team
 - Construction firm
 - Consultancy firm
 - Specialised companies
 - Own employees/specialists
- Integral design approach
 - Appropriate fits between components/disciplines
 - Decrease risks
 - Decrease costs
 - Decrease time needed
 - Increase quality
- Pilot research
 - Knowledge of installation
 - Preliminary design
 - Link to CW's



Thank you for your attention!

Simone van Holst Hoogheemraadschap van Delfland (Water Board Delfland) svanholst@hhdelfland.nl

Dutch Innovation on Micropollutants Removal from Municipal Wastewater November 7th 2019 Aquatech Amsterdam